


PROTECTIVE FENCING

To comprise of 2m tall welded mesh panels on rubber or concrete feet. Panels are to be joined together using a minimum of two anti-tamper couplers, installed so that they can only be removed from inside the fence. The panels should be supported on the inner side by stabiliser struts, which should be attached to a base plate and secured with ground pins.



Cavendish Road



PROTECTIVE FENCING

Approximate location of trench for ducting, previously dug and filled.

PROTECTIVE FENCING TO BE INTERLINKED TO EXISTING

PROPOSED A/C CONDENSER LOCATION

TERRAM GEOCELL CONFINEMENT SYSTEM FOR TREE ROOT PROTECTION WITH HARD CORE BASE WITH SAND BINDING, FINISHED WITH 600X600X50 CONCRETE SLABS. ALLOW FOR GEO TEXTILE MATERIAL BELOW GEOCELL.



ARBORICULTURE | ECOLOGY | LANDSCAPE

Project: Tara
Cavendish Road
Weybridge
Surrey KT13 0JT

Client: Planit Consulting

Drawing: TREE PROTECTION PLAN

Based on: Topographic survey+ proposed ASHP plan

Drawing No: TPP 01

Date: May 2024 Scale: 1:250 @ A2 Drawn: MR

Tree nos.: ● 1	Canopies of trees:	Category 'U' tree: ● 12
Category 'A' RPA:	Category 'B' RPA:	Category 'C' RPA:
Protective fencing:		

0m 5m 10m 15m 20m 25m

1:250@A2

David Archer Associates. All rights reserved. The original of this drawing was produced in colour & must not be reproduced without consent from David Archer Associates.